

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49235	(catalyst or catalytic) near4 (coat or coating or layer or coated or layered or layering)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:19
L2	56390	(heat exchanger or radiator) and (vehicle or automobile or car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:19
L3	240538	(detect or detecting or detected or detector or sense or sensing or sensed or sensor) with (remain or remained or remaining or wear or wearing or worn or thin or thick or thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:20
L4	57173	(position\$4 or locat\$4) with (sensor or detector or sensing or detecting) with (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:39
L5	10	1 and 2 and 3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:40
L6	8876	(position\$4 or locat\$4) with (sensor or detector or sensing or detecting) same (temperature with (function or characteristic or profile or distribution))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:39
L7	20	1 and 2 and 3 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:40
L8	17	7 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:40
L9	6221	((340/438) or (340/425.5) or (340/439) or (340/449) or (436/37) or (436/149) or (436/172) or (422/119)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/10 18:53
L10	61	6 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:53
S1	3	((("20010019707") or ("20010039928") or ("20030066623")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/23 13:42

S2	46835	(catalyst or catalytic) near4 (coat or coating or layer or coated or layered or layering)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:19
S3	53736	(heat exchanger or radiator) and (vehicle or automobile or car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:19
S4	230174	(detect or detecting or detected or detector or sense or sensing or sensed or sensor) with (remain or remained or remaining or wear or wearing or worn or thin or thick or thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 18:19
S5	156	S2 with S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 13:45
S6	5	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 13:46
S7	15370	(detecting or detector or sensing or sensor) with (location or locate or locating or located or place or placing or placed or position or positioning or positioned) same (characteristic or temperature or heat) with (heater or radiation or heat exchanger)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 14:20
S8	2	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 14:20
S9	7	S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 14:20
S10	7	S8 or S9	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 15:59
S11	7	S10 and (air near3 (flow or rate) or temperature or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 17:21
S12	0	"6506605".pn. and temperature and front with radiatro	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 17:21

S13	1	"6506605".pn. and temperature and front with radiator	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 17:51
S14	1	"6506605".pn. and temperature with characteristic with (heat exchanger or radiator)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:08
S15	0	"6506605".pn. and time with integral with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:08
S16	0	"6506605".pn. and time with (integral or integration) with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:09
S17	5968	((340/438) or (340/425.5) or (340/439) or (340/449) or (436/37) or (436/149) or (436/172) or (422/119)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/10 18:53
S18	15370	(detecting or detector or sensing or sensor) with (location or locate or locating or located or place or placing or placed or position or positioning or positioned) same (characteristic or temperature or heat) with (heater or radiation or heat exchanger)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:42
S19	8840	"17" and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:42
S20	46835	(catalyst or catalytic) near4 (coat or coating or layer or coated or layered or layering)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:48
S21	230174	(detect or detecting or detected or detector or sense or sensing or sensed or sensor) with (remain or remained or remaining or wear or wearing or worn or thin or thick or thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:48
S22	156	S20 with S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:48
S23	7	S18 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/06/23 18:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5135	(position\$4 or locat\$4 or dispos\$4) with (sensor or detector or sensing or detecting) with temperature with determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 19:48
L2	56390	(heat exchanger or radiator) and (vehicle or automobile or car)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 19:48
L3	236	1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2005/12/10 19:49